

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	5454	359/676,684,683,686,672,674,721,689,690,353,354,356,357,205,210;606/4,10,17.ccls.	USPAT; US-PGPUB ; EPO; JPO; DERWENT ; IBM_TDB	2004/02 /23 18:40
2	BRS	L2	691306	laser\$2	USPAT; US-PGPUB ; EPO; JPO; DERWENT ; IBM_TDB	2004/02 /23 18:40
3	BRS	L3	4313	diffraction-limited or (diffraction adj2 limited)	USPAT; US-PGPUB ; EPO; JPO; DERWENT ; IBM_TDB	2004/02 /23 18:41
4	BRS	L4	56918	(working adj3 distance) or (focal adj2 length)	USPAT; US-PGPUB ; EPO; JPO; DERWENT ; IBM_TDB	2004/02 /23 18:42
5	BRS	L5	10423	depth adj2 focus	USPAT; US-PGPUB ; EPO; JPO; DERWENT ; IBM_TDB	2004/02 /23 18:42
6	BRS	L6	3058	viewing adj2 field	USPAT; US-PGPUB ; EPO; JPO; DERWENT ; IBM_TDB	2004/02 /23 18:42
7	BRS	L7	2051	femtosecond or femto-second	USPAT; US-PGPUB ; EPO; JPO; DERWENT ; IBM_TDB	2004/02 /23 18:43
8	BRS	L8	1	2 and 3 and 4 and 5 and 6 and 7	USPAT; US-PGPUB ; EPO; JPO; DERWENT ; IBM_TDB	2004/02 /23 18:44

09/918059  
000000

	Type	L #	Hits	Search Text	DBs	Time Stamp
9	BRS	L9	4425	laser near3 surgery	USPAT; US-PGPUB ; EPO; JPO; DERWENT ; IBM_TDB	2004/02 /23 18:45
10	BRS	L10	564447	lens or lenses	USPAT; US-PGPUB ; EPO; JPO; DERWENT ; IBM_TDB	2004/02 /23 18:48
11	BRS	L11	112	5 and 7 and 10	USPAT; US-PGPUB ; EPO; JPO; DERWENT ; IBM_TDB	2004/02 /23 18:49
12	BRS	L12	112	11 and 2	USPAT; US-PGPUB ; EPO; JPO; DERWENT ; IBM_TDB	2004/02 /23 18:49
13	BRS	L13	75	4 and 12	USPAT; US-PGPUB ; EPO; JPO; DERWENT ; IBM_TDB	2004/02 /23 18:54
14	BRS	L14	0	20030053219.URPN.	USPAT	2004/02 /23 18:53
15	BRS	L15	198	359/672,674.ccls.	USPAT; US-PGPUB ; EPO; JPO; DERWENT ; IBM_TDB	2004/02 /23 19:58
16	BRS	L16	39925	laser same focus\$3 same 10	USPAT; US-PGPUB ; EPO; JPO; DERWENT ; IBM_TDB	2004/02 /23 19:59

	Type	L #	Hits	Search Text	DBs	Time Stamp
17	BRS	L17	731	9 and 16	USPAT; US-PGPUB ; EPO; JPO; DERWENT ; IBM_TDB	2004/02 /23 19:59
18	BRS	L18	46	7 and 17	USPAT; US-PGPUB ; EPO; JPO; DERWENT ; IBM_TDB	2004/02 /23 20:03
19	BRS	L20	3507	2 and 3	USPAT; US-PGPUB ; EPO; JPO; DERWENT ; IBM_TDB	2004/02 /23 20:04
20	BRS	L21	391	20 and 5	USPAT; US-PGPUB ; EPO; JPO; DERWENT ; IBM_TDB	2004/02 /23 20:04
21	BRS	L22	24	7 and 21	USPAT; US-PGPUB ; EPO; JPO; DERWENT ; IBM_TDB	2004/02 /23 20:07
22	BRS	L23	97853	laser same scan\$4	USPAT; US-PGPUB ; EPO; JPO; DERWENT ; IBM_TDB	2004/02 /23 20:07
23	BRS	L24	1922984	diameter	USPAT; US-PGPUB ; EPO; JPO; DERWENT ; IBM_TDB	2004/02 /23 20:08
24	BRS	L25	16575	23 and 24 and 10	USPAT; US-PGPUB ; EPO; JPO; DERWENT ; IBM_TDB	2004/02 /23 20:08

	Type	L #	Hits	Search Text	DBs	Time Stamp
25	BRS	L26	1200	5 and 25	USPAT; US-PGPUB; ; EPO; JPO; DERWENT; ; IBM_TDB	2004/02/23 20:09
26	BRS	L27	1200	26 and 5	USPAT; US-PGPUB; ; EPO; JPO; DERWENT; ; IBM_TDB	2004/02/23 20:09
27	BRS	L28	16	6 and 27	USPAT; US-PGPUB; ; EPO; JPO; DERWENT; ; IBM_TDB	2004/02/23 20:09
28	BRS	L19	5256	1 not 15	USPAT; US-PGPUB; ; EPO; JPO; DERWENT; ; IBM_TDB	2004/02/23 20:11

	Document ID	Source	Issue Date	Pages	Title	Current OR	Current XRef
1	US 5745298 A	<input checked="" type="checkbox"/> U.S. PAT	19980428	8	Zoom lens system	359/683	359/674
2	US 5408361 A	<input checked="" type="checkbox"/> U.S. PAT	19950418	27	Focal length transitional method, auxiliary lens for transiting focal lengths, and lens system and finder having focal length transitional function	359/674	396/383
3	US 4157211 A	<input checked="" type="checkbox"/> U.S. PAT	19790605	9	Zoom lens having an easily changeable range of variable focal distance	359/674	359/686